

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3022	(514/178,179,181,182).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/28 15:34
L2	1570	l1 and @ad<"20010625"	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/28 15:34
L3	723	I2 and (estrogen or estradiol)	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/28 15:52
L4	48	l3 and ("11" or C11).ab.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/28 15:36
L5	45	l4 and @ad<"19991118"	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/28 15:36
L6	326	((\$6estrogen or estradiol) and ("11" or c11)).ab.	FPRS; EPO; JPO; DERWENT	OR	ON	2006/08/28 15:52
L7	151	l6 and @ad<"19991118"	FPRS; EPO; JPO; DERWENT	OR	ON	2006/08/28 15:56
L8	82	I7 and (subst\$ or deriv\$).ab.	FPRS; EPO; JPO; DERWENT	OR	ON	2006/08/28 15:57
L9	2	l8 and (c11 or ll\$2beta or ll\$2b).ab.	FPRS; EPO; JPO; DERWENT	OR	ON	2006/08/28 15:58
L10	15	l8 and (c11 or ll\$2beta or ll\$2b or ("11" adj (b or beta))).ab.	FPRS; EPO; JPO; DERWENT	OR	ON	2006/08/28 15:59

Ame

=> d his

(FILE 'HOME' ENTERED AT 14:26:45 ON 28 AUG 2006)

FILE 'REGISTRY' ENTERED AT 14:26:53 ON 28 AUG 2006

L1 STRUCTURE UPLOADED

L2 0 S L1 SAM

L3 133 S L1 FULL

FILE 'CAPLUS' ENTERED AT 14:27:39 ON 28 AUG 2006

L4 17 S L3

L5 5 S L4 AND AD<19991118 AND PATENT/DT

L6 3 S L4 AND PY<=1999 AND NONPATENT/DT

L7 8 S L5 OR L6

FILE 'MEDLINE, EMBASE' ENTERED AT 14:28:29 ON 28 AUG 2006

L8 0 S L3

FILE 'CAPLUS, MEDLINE, EMBASE' ENTERED AT 14:28:40 ON 28 AUG 2006

L9 188 S ((LOOZEN, H?) OR (LOOZEN H?) OR (SCHOONEN, W?) OR (SCHOONEN W

L10 62 S L9 AND (ESTROGEN OR ESTRADIOL)

L11 35 DUP REM L10 (27 DUPLICATES REMOVED)

=> d l1 L1 HAS NO ANSWERS L1 STR

G1 H,OH G2 C,H

Structure attributes must be viewed using STN Express query preparation.

d 14 1 ibib abs kwic

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2000:368399 CAPLUS

DOCUMENT NUMBER:

133:4848

TITLE:

Preparation of estrogenic estra-1,3,5(10)-trienes with

differential effects on the α and β

estrogen receptors, having a linear hydrocarbon chain

of from 5-9 carbon atoms in position 11

INVENTOR(S):

Loozen, Hubert Jan Jozef; Schoonen, Wilhelmus Gerardus

Eduardus Joseph

PATENT ASSIGNEE(S):

Akzo Nobel N.V., Neth. PCT Int. Appl., 24 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

SOURCE:

GΙ

English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND DATE	APPLICATION NO.	DATE			
WO 2000031112	A1 20000602	WO 1999-EP9053	19991118			
W: AL, AU, BA,	BB, BG, BR, CA,	CN, CU, CZ, EE, GE,	HU, ID, IL, IN,			
IS, JP, KP,	KR, LC, LK, LR,	LT, LV, MG, MK, MN,	MX, NO, NZ, PL,			
RO, RU, SG,	SI, SK, SL, TR,	TT, UA, US, UZ, VN,	YU, ZA, AM, AZ,			
BY, KG, KZ,	MD, RU, TJ, TM					
RW: GH, GM, KE,	LS, MW, SD, SL,	SZ, TZ, UG, ZW, AT,	BE, CH, CY, DE,			
DK, ES, FI,	FR, GB, GR, IE,	IT, LU, MC, NL, PT,	SE, BF, BJ, CF,			
CG, CI, CM,	GA, GN, GW, ML,	MR, NE, SN, TD, TG				
EP 1131336	A1 20010912	EP 1999-963327	19991118			
EP 1131336	B1 20020828					
R: AT, BE, CH,	DE, DK, ES, FR,	GB, GR, IT, LI, LU,	NL, SE, MC, PT,			
IE, SI, LT,	LV, FI, RO					
AT 222922	E 20020915	AT 1999-963327	19991118			
PRIORITY APPLN. INFO.:		EP 1998-203914	A 19981120			
		WO 1999-EP9053	W 19991118			
OTHER SOURCE(S):	MARPAT 133:4848					

R11 Me X R17

R7

Ι

AB Novel 11 β -substituted estradiols of formula I [R3 = H, acyl, aroyl; R7, R16, R17 = H, alkyl, cycloalkyl, alkenyl, alkynyl, aryl; R11 = linear or branched hydrocarbon chain; X, Y = H, OH] are prepared. The resulting compds. have a desirable mixed agonist/antagonist profile for estrogen receptor α and estrogen receptor β . Thus, II was prepared and was an agonist for ER α and an antagonist for ER β .

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

IT 50681-33-9P 55592-30-8P 191486-99-4P 271259-95-1P 271259-96-2P 271260-03-8P 271260-06-1P **271260-07-2P** 271260-08-3P 271260-09-4P 271260-10-7P 271260-11-8P 271260-12-9P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use);

BIOL (Biological study); PREP (Preparation); USES (Uses) (preparation of estrogenic 11-substituted estratrienes with differential effects on estrogen receptors)

=> d his

(FILE 'HOME' ENTERED AT 14:03:52 ON 28 AUG 2006)

FILE 'REGISTRY' ENTERED AT 14:04:00 ON 28 AUG 2006

L1 STRUCTURE UPLOADED

L2 0 S L1 SAM

L3 1 S L1 FULL

FILE 'CAPLUS, MEDLINE, EMBASE' ENTERED AT 14:04:56 ON 28 AUG 2006

L4 1 S L3

=> d 11

L1 HAS NO ANSWERS

L1 STI

Structure attributes must be viewed using STN Express query preparation.

=>

Uploading C:\Program Files\Stnexp\Queries\09831954str5.str

STRUCTURE UPLOADED L1

=> s 11 sam

SAMPLE SEARCH INITIATED 14:08:51 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED -

10 TO ITERATE

100.0% PROCESSED

10 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH

COMPLETE

PROJECTED ITERATIONS:

11 TO 389

PROJECTED ANSWERS:

0 TO 0

L2

0 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 14:08:59 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED -

205 TO ITERATE

100.0% PROCESSED

205 ITERATIONS

1 ANSWERS

SEARCH TIME: 00.00.01

L3

1 SEA SSS FUL L1

=> d 11

L1 HAS NO ANSWERS

L1

STR

Structure attributes must be viewed using STN Express query preparation.

=> file caplus medline embase; s 13

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

167.15

166.94

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 14:09:14 ON 28 AUG 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'MEDLINE' ENTERED AT 14:09:14 ON 28 AUG 2006

FILE 'EMBASE' ENTERED AT 14:09:14 ON 28 AUG 2006 Copyright (c) 2006 Elsevier B.V. All rights reserved.

1 L3 L4

=> d l4 l ibib abs kwic hitstr

ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2000:368399 CAPLUS

DOCUMENT NUMBER: 133:4848

Preparation of estrogenic estra-1,3,5(10)-trienes with TITLE:

differential effects on the α and β

estrogen receptors, having a linear hydrocarbon chain

of from 5-9 carbon atoms in position 11

INVENTOR(S): Loozen, Hubert Jan Jozef; Schoonen, Wilhelmus Gerardus

Eduardus Joseph

PATENT ASSIGNEE(S): Akzo Nobel N.V., Neth. SOURCE: PCT Int. Appl., 24 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PAT	PATENT NO.					KIND DATE APPLICATION NO.					NO.	DATE					
WO	WO 2000031112			A1 20000602			WO 1999-EP9053					19991118					
	W:	AL,	ΑU,	BA,	BB,	BG,	BR,	CA,	CN,	CU,	CZ,	EE,	GE,	HU,	ID,	IL,	IN,
		IS,	JP,	ΚP,	KR,	LC,	LK,	LR,	LT,	LV,	MG,	MK,	MN,	MX,	NO,	NZ,	PL,
		RO,	RU,	SG,	SI,	SK,	SL,	TR,	TT,	UA,	US,	UZ,	VN,	YU,	ZA,	AM,	ΑZ,
		BY,	KG,	ΚZ,	MD,	RU,	ТJ,	TM									
	RW:	GH,	GM,	ΚE,	LS,	MW,	SD,	SL,	SZ,	ΤZ,	UG,	ZW,	AT,	BE,	CH,	CY,	DE,
		DK,	ES,	FI,	FR,	GB,	GR,	ΙE,	IT,	LU,	MC,	NL,	PT,	SE,	BF,	ВJ,	CF,
							GW,										
EP	1131	336			A1 20010912			EP 1999-963327						19991118			
EP	1131	336			В1		2002	0828									
	R:	AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	ΙΤ,	LI,	LU,	NL,	SE,	MC,	PT,
				LT,													
AT	AT 222922				E 20020915			AT 1999-963327						19991118			
PRIORITY APPLN. INFO.:							EP 1998-203914			A 19981120							
									WO 1	999-1	EP90:	53	ī	W 1	9991	118	
OTHER SOURCE(S): GI				MAR	PAT	133:	4848										

AΒ Novel 11β -substituted estradiols of formula I [R3 = H, acyl, aroyl; R7, R16, R17 = H, alkyl, cycloalkyl, alkenyl, alkynyl, aryl; R11 = linear or branched hydrocarbon chain; X, Y = H, OH] are prepared. The resulting compds. have a desirable mixed agonist/antagonist profile for estrogen receptor α and estrogen receptor $\beta.$ Thus, II was prepared and was an agonist for ER α and an antagonist for ER β .

271259-95-1P TΥ 55592-30-8P 191486-99-4P 271259-96-2P 50681-33-9P 271260-06-1P 271260-07-2P 271260-08-3P 271260-03-8P 271260-09-4P 271260-10-7P 271260-11-8P 271260-12-9P RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of estrogenic 11-substituted estratrienes with differential effects on estrogen receptors)

IT 271260-03-8P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of estrogenic 11-substituted estratrienes with differential effects on estrogen receptors)

RN 271260-03-8 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 11-(3-pentynyl)-, (11 β ,17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

Uploading C:\Program Files\Stnexp\Queries\09831954str6.str

L1STRUCTURE UPLOADED

=>

=> s 11 sam

SAMPLE SEARCH INITIATED 14:11:53 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED -

8 TO ITERATE

100.0% PROCESSED

8 ITERATIONS

O ANSWERS

SEARCH TIME: 00.00.01

COMPLETE FULL FILE PROJECTIONS: ONLINE

COMPLETE BATCH

PROJECTED ITERATIONS:

OT 8 329

PROJECTED ANSWERS:

OTO 0

L2

0 SEA SSS SAM L1

1 SEA SSS FUL L1

=> s 11 full

FULL SEARCH INITIATED 14:11:57 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED -

150 TO ITERATE

100.0% PROCESSED

150 ITERATIONS

1 ANSWERS

SEARCH TIME: 00.00.01

=> d 11

L1 HAS NO ANSWERS

L1

L3

STR

Structure attributes must be viewed using STN Express query preparation.

=> file caplus medline embase; s 13

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY

SESSION

FULL ESTIMATED COST

166.94

167.15

FILE 'CAPLUS' ENTERED AT 14:12:13 ON 28 AUG 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'MEDLINE' ENTERED AT 14:12:13 ON 28 AUG 2006

FILE 'EMBASE' ENTERED AT 14:12:13 ON 28 AUG 2006 Copyright (c) 2006 Elsevier B.V. All rights reserved.

L4 1 L3

=> d l4 l ibib abs kwic hitstr

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER:

2000:368399 CAPLUS

DOCUMENT NUMBER:

133:4848

TITLE:

Preparation of estrogenic estra-1,3,5(10)-trienes with

differential effects on the α and β

estrogen receptors, having a linear hydrocarbon chain

of from 5-9 carbon atoms in position 11

INVENTOR(S):

Loozen, Hubert Jan Jozef; Schoonen, Wilhelmus Gerardus

Eduardus Joseph

PATENT ASSIGNEE(S):

Akzo Nobel N.V., Neth. PCT Int. Appl., 24 pp.

SOURCE:

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.		KIND	DATE	APPLICATION NO	. DATE
WO 2000031	WO 2000031112			WO 1999-EP9053	19991118
W: AL,	AU, BA,	BB, BG	, BR, CA,	CN, CU, CZ, EE, G	E, HU, ID, IL, IN,
IS,	JP, KP,	KR, LC	, LK, LR,	LT, LV, MG, MK, M	N, MX, NO, NZ, PL,
RO	RU, SG,	SI, SK	, SL, TR,	TT, UA, US, UZ, V	N, YU, ZA, AM, AZ,
BY	KG, KZ,	MD, RU	, TJ, TM		
RW: GH	GM, KE,	LS, MW	, SD, SL,	SZ, TZ, UG, ZW, A	T, BE, CH, CY, DE,
DK	ES, FI,	FR, GB	, GR, IE,	IT, LU, MC, NL, P	T, SE, BF, BJ, CF,
CG	CI, CM,	GA, GN	, GW, ML,	MR, NE, SN, TD, T	G
EP 1131336		A1	20010912	EP 1999-963327	19991118
EP 1131336		В1	20020828		
R: AT	BE, CH,	DE, DK	, ES, FR,	GB, GR, IT, LI, L	U, NL, SE, MC, PT,
IE	SI, LT,	LV, FI	, RO		
AT 222922		E	20020915	AT 1999-963327	19991118
PRIORITY APPLN.				A 19981120	
				WO 1999-EP9053	W 19991118
OTHER SOURCE(S)		MARPAT	133:4848		

AB Novel 11 β -substituted estradiols of formula I [R3 = H, acyl, aroyl; R7, R16, R17 = H, alkyl, cycloalkyl, alkenyl, alkynyl, aryl; R11 = linear or branched hydrocarbon chain; X, Y = H, OH] are prepared. The resulting compds. have a desirable mixed agonist/antagonist profile for estrogen receptor α and estrogen receptor β . Thus, II was prepared and was an agonist for ER α and an antagonist for ER β .

ΙT 50681-33-9P 55592-30-8P 191486-99-4P 271259-95-1P 271259-96-2P 271260-08-3P 271260-03-8P 271260-06-1P 271260-07-2P 271260-11-8P 271260-09-4P 271260-10-7P 271260-12-9P RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of estrogenic 11-substituted estratrienes with differential effects on estrogen receptors)

IT 271260-09-4P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of estrogenic 11-substituted estratrienes with differential effects on estrogen receptors)

RN 271260-09-4 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 11-(4-pentynyl)-, (11 β ,17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

Uploading C:\Program Files\Stnexp\Queries\09831954str8.str

STRUCTURE UPLOADED L1

=> s 11 sam

SAMPLE SEARCH INITIATED 14:16:05 FILE 'REGISTRY' SAMPLE SCREEN SEARCH COMPLETED -157 TO ITERATE

100.0% PROCESSED

157 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE

COMPLETE **COMPLETE** BATCH

PROJECTED ITERATIONS:

3891 2389 TO

PROJECTED ANSWERS:

0 TO 0

L2

0 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 14:16:09 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 3293 TO ITERATE

100.0% PROCESSED

3293 ITERATIONS

1 ANSWERS

SEARCH TIME: 00.00.01

L3

1 SEA SSS FUL L1

=> d 11

L1 HAS NO ANSWERS

L1

STR

Structure attributes must be viewed using STN Express query preparation.

=> file caplus medline embase; s 13

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

167.15

166.94

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 14:16:19 ON 28 AUG 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'MEDLINE' ENTERED AT 14:16:19 ON 28 AUG 2006

FILE 'EMBASE' ENTERED AT 14:16:19 ON 28 AUG 2006 Copyright (c) 2006 Elsevier B.V. All rights reserved.

L41 L3

=> d l4 1 ibib abs kwic

ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER:

2000:368399 CAPLUS

DOCUMENT NUMBER:

133:4848

TITLE:

Preparation of estrogenic estra-1,3,5(10)-trienes with

differential effects on the α and β

estrogen receptors, having a linear hydrocarbon chain

of from 5-9 carbon atoms in position 11

INVENTOR(S):

Loozen, Hubert Jan Jozef; Schoonen, Wilhelmus Gerardus

Eduardus Joseph

PATENT ASSIGNEE(S):

Akzo Nobel N.V., Neth. PCT Int. Appl., 24 pp.

SOURCE:

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND DATE	APPLICATION NO.	DATE			
WO 2000031112	A1 20000602	WO 1999-EP9053	19991118			
· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	CN, CU, CZ, EE, GE, LT, LV, MG, MK, MN,				
		TT, UA, US, UZ, VN,				
	MD, RU, TJ, TM		au au			
• • •		SZ, TZ, UG, ZW, AT,				
	•	IT, LU, MC, NL, PT,	SE, BF, BJ, CF,			
		MR, NE, SN, TD, TG				
EP 1131336	A1 20010912	EP 1999-963327	19991118			
EP 1131336	B1 20020828					
R: AT, BE, CH,	DE, DK, ES, FR,	GB, GR, IT, LI, LU,	NL, SE, MC, PT,			
IE, SI, LT,	LV, FI, RO					
AT 222922	E 20020915	AT 1999-963327	19991118			
PRIORITY APPLN. INFO.:		EP 1998-203914	A 19981120			
		WO 1999-EP9053	W 19991118			
OTHER SOURCE(S):	MARPAT 133:4848					

OT GΙ

AΒ

Novel 11β -substituted estradiols of formula I [R3 = H, acyl, aroyl;

R7, R16, R17 = H, alkyl, cycloalkyl, alkenyl, alkynyl, aryl; R11 = linear or branched hydrocarbon chain; X, Y = H, OH] are prepared. The resulting compds. have a desirable mixed agonist/antagonist profile for estrogen receptor α and estrogen receptor β . Thus, II was prepared and was an agonist for ER α and an antagonist for ER β .

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

IT 50681-33-9P 55592-30-8P 191486-99-4P 271259-95-1P 271259-96-2P 271260-03-8P **271260-06-1P** 271260-07-2P 271260-08-3P 271260-09-4P 271260-10-7P 271260-11-8P 271260-12-9P RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of estrogenic 11-substituted estratrienes with differential effects on estrogen receptors)

L1 STRUCTURE UPLOADED

=> s 11 sam

SAMPLE SEARCH INITIATED 14:19:10 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 426 TO ITERATE

100.0% PROCESSED

426 ITERATIONS

0 ANSWERS

1 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS:

7282 TO 9758

PROJECTED ANSWERS:

0 TO 0

L2

0 SEA SSS SAM L1

=> s 11 full

FULL SEARCH INITIATED 14:19:14 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 8558 TO ITERATE

100.0% PROCESSED 8558 ITERATIONS

SEARCH TIME: 00.00.01

L3 1 SEA SSS FUL L1

=> d 11

L1 HAS NO ANSWERS

L1 STR

Structure attributes must be viewed using STN Express query preparation.

=> file caplus medline embase; s 13

COST IN U.S. DOLLARS

SINCE FILE TOTAL

FULL ESTIMATED COST

ENTRY SESSION 166.94 167.15

FILE 'CAPLUS' ENTERED AT 14:19:28 ON 28 AUG 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'MEDLINE' ENTERED AT 14:19:28 ON 28 AUG 2006

FILE 'EMBASE' ENTERED AT 14:19:28 ON 28 AUG 2006 Copyright (c) 2006 Elsevier B.V. All rights reserved.

L41 L3

=> d 14 1 ibib abs kwic hitstr

ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN

2000:368399 CAPLUS ACCESSION NUMBER:

DOCUMENT NUMBER: 133:4848

Preparation of estrogenic estra-1,3,5(10)-trienes with TITLE:

differential effects on the α and β

estrogen receptors, having a linear hydrocarbon chain

of from 5-9 carbon atoms in position 11

INVENTOR(S): Loozen, Hubert Jan Jozef; Schoonen, Wilhelmus Gerardus

Eduardus Joseph

PATENT ASSIGNEE(S): Akzo Nobel N.V., Neth. SOURCE: PCT Int. Appl., 24 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.					KIND DATE			APPLICATION NO.						DATE			
WO 20	WO 2000031112			A1 20000602		WO 1999-EP9053					19991118						
W	: AL,																
						LK, SL,											
						TJ,		,	011,	00,	02,	,	-0,	 ,	,	,	
F	W: GH,	GM,	KE,	LS,	MW,	SD,	SL,	SZ,	TZ,	UG,	ZW,	AT,	BE,	CH,	CY,	DE,	
	DK,	ES,	FI,	FR,	GB,	GR,	ΙE,	IT,	LU,	MC,	ΝL,	PT,	SE,	BF,	ВJ,	CF,	
	CG,	CI,	CM,	GΑ,	GN,	GW,	ML,	MR,	ΝE,	SN,	TD,	ΤG					
EP 11	31336			A1 20010912			EP 1999-963327					19991118					
EP 11	31336			В1		2002	0828										
F	: AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	ΙT,	LI,	LU,	NL,	SE,	MC,	PT,	
	IE,	SI,	LT,	LV,	FI,	RO											
AT 222922			E		2002	0915		AT 1	999-	9633	27		1	9991	118		
PRIORITY APPLN. INFO.:								EP 1	998-	2039:	14	I	A 1	9981	120		
								,	WO 1	999-	EP90	53	V	W 1	9991	118	
OTHER SOURCE(S):				MAR	PAT	133:	4848										

0' GI

Novel 11β -substituted estradiols of formula I [R3 = H, acyl, aroyl; AB R7, R16, R17 = H, alkyl, cycloalkyl, alkenyl, alkynyl, aryl; R11 = linear or branched hydrocarbon chain; X, Y = H, OH] are prepared The resulting

compds. have a desirable mixed agonist/antagonist profile for estrogen receptor α and estrogen receptor $\beta.$ Thus, II was prepared and was an agonist for ER α and an antagonist for ER β .

IT 50681-33-9P 55592-30-8P 191486-99-4P 271259-95-1P 271259-96-2P 271260-03-8P 271260-06-1P 271260-07-2P 271260-08-3P 271260-09-4P 271260-10-7P 271260-11-8P **271260-12-9P**

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of estrogenic 11-substituted estratrienes with differential effects on estrogen receptors)

IT 271260-12-9P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of estrogenic 11-substituted estratrienes with differential effects on estrogen receptors)

RN 271260-12-9 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 11-pentyl-, $(11\beta,17\beta)$ - (9CI) (CA INDEX NAME)

Absolute stereochemistry.

REFERENCE COUNT:

4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORM